



MODEL	A	B	C	D	E	F	G	H	I	J
	Jacket Diameter	Tank Diameter	Height to Pan	Height to T&P Relief Valve	Height to Top Element	Height to Thermostat Bracket	Height to Bottom Element	Height to Combo Drain	Angle of T&P Relief Valve	Angle of Combo Drain
ME40	22.75	16	57.25	50	36.5	29.3	8.5	7.5	50	50

PROPRIETARY AND CONFIDENTIAL		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Vaughn Thermal Corp. TITLE: Tank Assembly ME40 Standard Electric Configuration				
THE INFORMATION CONTAINED IN THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY. THE CONTENTS OF THIS DRAWING ARE THE SOLE PROPERTY OF VAUGHN THERMAL CORPORATION. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF VAUGHN THERMAL CORPORATION IS PROHIBITED.		DIMENSIONS ARE IN INCHES		DRAWN	RP				7/15/2015	
		TOLERANCES:		CHECKED	RP				4/7/2022	
		LINEAR: 1 Decimal Place = ± 0.1 2 Decimal Place = ± 0.01 3 Decimal Place = ± 0.005		ENG APPR.						
		ANGULAR: 0 Decimal Place = ± 1.0° 1 Decimal Place = ± 0.5°		MFG APPR.						
		INTERPRET GEOMETRIC TOLERANCING PER:		Q.A.						
		MATERIAL:		COMMENTS:			SIZE	DWG. NO.	REV	
		FINISH:		PART NUMBER:			C	V40A0322	A	
							SCALE: 1:8		SHEETS: 1	



